

Kubota®



KUBOTA ZERO-TURN MOWER

Z

Z200/Z300 Series

Kubota's expanded lineup of compact and full size zero-turn mowers deliver the versatility and professional performance to take on any task.



*This information is sourced from overseas and may not necessarily apply locally. It is essential that you confirm specifications and other information with your local Kubota dealer.





Photo shown with optional Kubota Catch All grass catcher.



Z200 Z300 SERIES



With its expanded range of diesel and gasoline mowers to choose from, Kubota's high-performance Z-Series will meet any mowing challenge.

Kubota's versatile and high-performance lineup of zero-turn mowers features full-size and compact models, and is available with diesel or gasoline engines. These models boast a high-capacity HST, the deepest mower deck in the industry, and more. Plus, with the introduction of the rear discharge models, the expanded Z-Series will take on any job and cut it down to size.

KUBOTA ENGINE

The Z-Series mowers feature engines ranging in size from 21 to 30 HP.

KUBOTA GASOLINE ENGINE



The V-Twin Kubota gasoline engine delivers durability and productivity like no other. Available in 22HP or 27HP, this reliable, air-cooled engine offers outstanding performance and quiet operation. Specifically designed for mowing, it features Kubota's clean-flow structure, which virtually eliminates the likelihood of grass clippings clogging the wide cooling air passages. Plus, with its removable engine cover for easy access and a unique carburetor drain cock that simplifies seasonal storage, maintenance is simple and hassle-free.




Clean-flow Structure



Carburetor Drain Cock*

*When in use, consult operator manual and handle with care.



Removable Engine Cover

PRO COMMERCIAL MOWER DECK

For outstanding cutting performance, nothing surpasses Kubota's extra-deep mower deck. With depths of 6" and 6.5", the deepest in the industry, the Z-Series mower deck is available in four sizes — 72", 60", 54" and 48"—to take on jobs large and small.

FLEXIBLE DISCHARGE CHUTE

The Z-Series mower deck features a discharge chute crafted from a flexible-but-sturdy material, which helps reduce damage to landscaping.



ANTI-OVERFLOW SYSTEM

The edges of the mower deck greatly reduce grass blow-back and help keep lawns looking nice and clean, particularly in dry conditions.

BAFFLE DESIGN

The mower deck's advanced baffle design improves airflow to better discharge grass clippings, optimizing cutting performance for every job.

6.5-inch Deep Mower Deck*



*6 inches on 48" and 54" decks.

e Kubota's original gasoline and diesel engines,
1 horsepower. Choose the one that's right for you.


KUBOTA DIESEL ENGINE



Kubota diesel engines are known for their durability, high performance, energy efficiency and reliability. Their fuel efficiency, high torque, quiet operation and reduced emissions help you take on heavy mowing jobs for extended periods. And, whether it's our 21, 23, 26, or 31-horsepower engine, it will exceed even the highest expectations of commercial landscapers.

Dual-Element Air Cleaner

Kubota ZD-Series mowers come equipped with a dual-element air cleaner which features a vacuum sensor that indicates when to service the air cleaner.



Large Fuel Tank

Kubota has increased the fuel capacity for all 300 Series models to 12.9 gallons by including two fuel tanks. This allows the operator to work longer and more efficiently without stopping to refuel. This feature is especially handy for those big jobs.



Large Radiator

The radiator on the ZD-Series mower is built to improve cooling performance, allowing peak performance on even the hottest days.

TRANSMISSION

For superior durability, we incorporated an integral-type, twin-hydrostatic transmission. Except for an occasional fluid change, its hermetically-sealed structure requires no maintenance—not even a belt change.



		Compact Models Z200 SERIES			Full-Size Models Z300 SERIES		
Model		ZG222	ZG227	ZD221	ZG327	ZD326	ZD331
Gasoline Engine		●	●	—	●	—	—
Diesel Engine		—	—	●	—	●	●
Pro Commercial Mower Deck	48 in.	■	—	—	—	—	—
	54 in.	—	■	■	—	—	—
	60 in.	—	—	—	■	■	■
	72 in.	—	—	—	—	—	■
Semi-Pneumatic Front Caster Tires		—	—	—	●	●	●
Maintenance Lift		Opt.	Opt.	Opt.	Opt.	●	●

○/● : Standard Equipment ■ : Available Mower Deck Option Opt.: Optional Accessory

Z200 [COMPACT MODELS] SERIES

The Z200 Series provides the convenience and versatility an abundance of professional performance and power.

GASOLINE ENGINE MODELS

ZG222



48"
Pro commercial
mower

- 22HP Kubota gasoline engine
- 6"-deep, 48"-wide mower deck (ZG222-48)
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

Z200 Series Main Features

Pedal-type Lift System

Elevate the mower deck and roll right over obstacles. The Z200 Series includes a hydraulic lift system that raises the deck with the simple push of a pedal. And, if necessary, a special one-touch lock allows you to keep the deck in place.



Comfortable Seat

To make mowing tasks more comfortable, we've included a cushioned seat with sturdy, padded armrests. The adjustable seat also features an attached seatbelt for your protection.



of a compact mower with

GASOLINE ENGINE MODELS ZG227



54"
Pro commercial
mower

- 27HP Kubota gasoline engine
- 6"-deep, 54"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

Mower Access

For easy access to the upper mower, mower belts and universal joint, the Z200 Series features a convenient maintenance hatch built into the operator's platform.

Cup Holder



Flexible Cover

The Z200 Series employs a flexible-yet-sturdy discharge cover to help prevent damage to shrubs and landscaping.

Instrument Panel

With the user-friendly instrument panel, Kubota keeps essential controls and indicators close for easy access and viewing. They're all here—warning indicator, fuel gauge and more.

The ZD221 compact mower features a reliable 21HP diesel engine and the versatility to take on mowing jobs big and small.

DIESEL ENGINE MODELS

ZD221



54"
Pro commercial
mower

- 21HP Kubota diesel engine
- 6"-deep, 54"-wide mower deck
- High-performance HST transmission
- Full-flat operator platform
- Comfortable seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

■ Z200 Series Main Features

Easy Maintenance

Maintenance doesn't get any easier. The seat panel lifts up for quick access to the HST, the hood opens for routine maintenance (adding oil, etc.), an operator platform hatch makes upper mower access a snap—and all three can be opened at once. Plus, Kubota's optional tilt-up lift feature is also available for routine maintenance underneath the mower.



Maintenance Lift
(Optional)



Z300 [FULL-SIZE MODELS] SERIES

Kubota's rugged ZG327 gasoline-engine mower is equipped to easily tackle the toughest mowing jobs.

GASOLINE ENGINE MODELS ZG327



60"
Pro commercial
mower

- 27HP Kubota gasoline engine
- 6.5"-deep, 60"-wide mower deck
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift (optional)

■ Z300 Series Main Features

High-back Deluxe Suspension Seat

When you're mowing all day long, comfort is a necessity. And Kubota's standard deluxe link-type suspension seat takes comfort to a whole new level. The extra-wide seat features adjustable armrests, lumbar support, weight adjustment, and much more, to give the operator a custom fit.



Suspension Seat
Adjustment Lever

Reclining Dial

The highly reliable ZD300 diesel-engine mowers deliver the performance you need, and the comfort you desire.

DIESEL ENGINE MODELS

ZD326P



- 26HP Kubota diesel engine
- 6.5"-deep, 60"-wide mower deck
- Adjustable front axle (oscillating/rigid)
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift

■ Z300 Series Main Features

Adjustable Front Axle* (Oscillating/Rigid)

The ZD300 Series features an adjustable front axle that can be switched from oscillating to rigid by using two pins. The oscillating front axle provides a smooth ride, while a rigid front axle helps deliver an even cut while mowing rough terrain.

**Rigid on ZG327*



Semi-Pneumatic (Flat-Free) Front Caster Tires

Standard with ZG327/ZD331P/ZD326P models

the power and torque you demand,

DIESEL ENGINE MODELS

ZD331P



60"
Pro commercial
mower



- 31HP Kubota diesel engine
- 6.5"-deep, 60"-wide mower deck
- Adjustable front axle (oscillating/rigid)
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift

Hands-free Parking Brake/ Deck Lift Pedals

With the Z300 Series, the foot operated parking brake can easily be set while maintaining control with both hands. And, thanks to the 2-pedal hydraulic deck lift system, you can easily raise and lower the deck to keep mowing in spite of obstacles. All three pedals are placed directly in front of you on the angled footboard for easy access.



Adjustable Speed
Control Levers

Kubota's heavy-duty ZD331LP diesel mower makes even the most difficult mowing tasks look easy.

DIESEL ENGINE MODELS

ZD331LP



72"
Pro commercial
mower



- 31HP Kubota diesel engine
- 6.5"-deep, 72"-wide mower deck
- Adjustable front axle (oscillating/rigid)
- Semi-pneumatic (flat-free) front caster tires
- High-performance HST transmission
- Full-flat operator platform
- High-back deluxe suspension seat
- Adjustable speed control levers
- Hands-free hydraulic deck lift
- Hands-free parking brake
- Maintenance lift

■ Z300 Series Main Features

Mower Access

The Z300 Series features a special maintenance hatch, with a built-in storage pocket, on the full-flat operator platform. It allows easy access to the upper mower, mower belt, gearbox case and universal joint.



Shaft Drive



1/4" Increment Cutting Height Adjustment

Z200/Z300 [ALL MODELS] SERIES

OPTIONAL ATTACHMENTS

Kubota produces a superior mulch.

ADVANCED MULCHING SYSTEM

The deep mower deck of the Kubota Z-Series is perfect for mulching, even in thick grass. A Kubota original baffle has been added to the closed-system design to optimize airflow and facilitate repeated cutting. The mulching blades are designed to provide an extra-fine cut, leaving a beautiful finish.

MULCHING BLADES

Forged from high-quality steel, our Z-Series mulching blades are incredibly durable and hold their edges longer.



"CATCH ALL"

HOPPER STYLE GRASS CATCHER

(GCK60H-300Z for Z300 w / 60" Mower /
GCK72H-300Z for ZD331LP-72)

With a large capacity of 12 bushels, the hopper is easy to remove and allows the operator to dump the mowed grass while seated.



"CATCH ALL" 2-BAG STYLE GRASS CATHCER (GCK60-331ZA/ GCK54-200Z*)

The large capacity cathcer allows the operator to mow longer over a larger area without stopping as often to empty clippings. For the quick removal of grass clippings, the lid is simply unlocked and the bag slides out.

**Requires blower / frame kit.*



Work lights, front blade, and striping kit are available for selected models. See dealer for details.

Maintenance Lift*

Kubota's innovative two-pin, tilt-up, lift feature allows the front of the Z300 Series to be easily raised without having to remove the mid-mount mower, making routine maintenance underneath the mower quick and simple. It's like having a built-in jack right there when you need it.

**Stand type maintenance lift kit is optional on ZG327.*



Full-Flat Operator Platform

Z200SERIES

Model				ZG222	ZG227	ZD221	
				ZG222-48	ZG227-54	ZD221-54	
Engine	Model			Kubota KGZ770-E2-M3	Kubota KGZ770-E2-M2	Kubota D782-E3-ZD-1	
	Type			Gasoline, air-cooled V-Twin with heavy-duty canister air filter		Diesel, liquid-cooled (3 cyl.)	
	Max. horsepower (Gross)			22HP@3600 rpm	27HP@3600 rpm	21HP@3200 rpm	
	Total displacement cc			768		778	
	Starting system			Key switch		Key switch - super glow	
Dimensions	Overall length mm			2093		2130	
	Overall width	(w/ mower)	mm	1552	1710		
		(w/o mower)	mm	1210			
	Overall height	(w/ ROPS upright)	mm	1775			
		(w/ ROPS folded)	mm	1320			
Wheel base mm			1295				
Tread	Front mm			860			
	Rear mm			930			
Tire size	Front			13 × 5.0-6 Pneumatic			
	Rear			23 × 10.5-12			
Weight (w/ mower) (without fuel) kg			534	544	555		
Transmission system				2-HST w/ Gear reduction			
Speed control				2-hand levers			
Travel speed range	Forward km/h			0-14.5			
	Reverse km/h			0-8.0			
Brake type				Wet multi disks, foot applied, released			
PTO	Type			Shaft drive			
	Clutch type			Hydraulic independent PTO clutch with wet multi disks			
	PTO brake			Wet single disk			
Mower deck	Model			RCK48P-222Z	RCK54P-227Z	RCK54P-227Z	
	Mower lift system			Hydraulic			
	Mower deck type			Pro commercial-Fabricated deck			
	Deck depth mm			152			
	Belt type			Multi-Belt			
	Deck steel thickness mm			4.2 / 4.6			
	Anti-scalp roller			Rigid			
	Cutting width of mower			48 in.	54 in.		
	Number of blades			3 blades			
	Cutting height			1 in. ~ 5 in. / 1/4 in. increments			
	Mounting system of mower			Quick joint, parallel linkage			
	Blade tip speed (max.)			17000 FPM			
Engine stop system				Key stop			
Fuel tank capacity ltrs.			28		23		
Battery				U1L9 (12 V, RC: 30 min., CCA: 285, CA: 340)		51R (12 V, 70 min., CCA: 450A)	
Alternator capacity				13.4 Amps at 12 Volts		14 Amps at 14 Volts	
Water temperature indicator				-		Standard	
Hour meter				Standard			
Fuel gauge				Electric			

The company reserves the right to change the above specifications without notice.

This brochure is for descriptive purposes only. Please contact your local Kubota dealer for warranty information.

For your safety, Kubota strongly recommends the use of a Rollover Protective Structure (ROPS) and seat belt in almost all applications.

Z300SERIES

ZG327	ZD326	ZD331	
ZG327P-60	ZD326P-60	ZD331P-60	ZD331LP-72
Kubota KGZ770-E2-M1	Kubota D1005-E3-ZD	Kubota D1005-E3-ZD-2	
Gasoline, air-cooled V-Twin with heavy-duty canister air filter	Diesel, liquid-cooled (3 cyl.)		
27HP@3600 rpm	26HP@3200rpm	31HP@3000rpm	
768	1001	1261	
Key switch	Key switch - super glow		
2230	2220	2335	
1911	1604	2224	
	1460		
	1915		
	1555		
	1410	1520	
	975	1070	
	1150		
	15 × 6.0-6 Non-Flat		
	26 × 12.0-12		
668	771	778	803
2-HST w/ Gear reduction	2-HST w/ Gear		
	2-hand lever		
	0-17.0		
	0-8.5		
	Wet multi disks, foot applied, released		
	Shaft drive		
	Hydraulic independent PTO clutch with wet multi disks		
	Wet single disk		
RCK60P-327Z	RCK60P-331Z	RCK60P-331Z	RCK72P-331Z
	Hydraulic		
	Pro commercial-Fabricated deck		
	165		
	Multi-Belt		
	4.6, 4.2		
Rigid	Swivel		
	60 in.	72 in.	
	3 blades		
	1 in. ~ 5 in. / 1/4 in. increments		
	Quick joint, parallel linkage		
18100 FPM	18200 FPM		
	Key stop		
	49		
U1L9 (12 V, RC: 30 min., CCA: 285, CA: 340)	51R (12 V, 70 min., CCA: 450A)		
13.4 Amps at 12 Volts	14 Amps at 14 Volts		
-	Standard		
	Standard		
	Electric		



KUBOTA Tractor Australia Pty Ltd

25-29 Permas Way, TRUGANINA Vic, 3029
Freecall: 1800 334 653
Email: sales@kubota.com.au

Web Site: <http://www.kubota.com.au>

CB Norwood Distributors Ltd

PO Box 1265, 888 Tremaine Avenue,
Palmerston North 0800 KUBOTA
Tel: 06 356 4920 Fax: 06 356 4939

Web Site: <http://www.kubota.co.nz>